Older Adult Mental Health: Issues and Services in Aurora

Emma Williams, Psy.D.

Aurora Mental Health Center

September 13, 2017

Objectives

- Provide an overview of the particular challenges that older adults in our community face with regard to mental health
- Identify current resources, including local behavioral health services for older adults
- Offer suggestions for ways to improve access and engagement for geriatric BH services

Unique Stressors Associated with Aging

- ☐ Grief and loss
- ☐ Role changes
 - Retirement, "empty nest", decreased independence
- □ Cognitive changes
- Medical stressors
- Untreated mental illness can have adverse impact on physical health
- ☐ Role changes
 - Retirement, "empty nest", decreased independence
- Ageism: anti-aging stigma/messages in American society

Prevalence of Mental Health Disorders among Older Adults

Approximately 20% of Americans age 65+ meet criteria for a MH disorder

Type of Disorder	Prevalence
Depression	15-20%
Anxiety	11%
Sleep	30-60%
Bipolar	Late onset: .14% Among older adults w/ mood disorders: 10-25% -accounts for 5% of admissions to geropsychiatric inpatient units
Substance abuse	3.75-9.4%
Neurocognitive	Age 60-69:1.7-3.3% 70-79: 5-12.8% 80-84: 12.8-24% 85+: 30.1-37%
	(Karel, 2014; Lin et al., 2013)

- Aurora Mental Health Center Older Adult Team
- www.aumhc.org
- OLDER ADULT SERVICES

Provide seniors and their families with individual, group, family, and couples counseling, medication services including evaluation and follow-up services, and psychological testing, as well as education and outreach services. Services can be provided at our facilities or at nursing homes.

- AUMHC Older Adult Services Offered:
 - Outpatient Individual, Couples, and Group Therapy
 - Assisted Living / Nursing Home Outreach
 - Cognitive and Psychological Assessments
 - Case Management
 - Psychiatry Consultation & Medication Management
- Partnerships
 - Asian Pacific Development Center- (303)393-0304
 - Colorado Refugee Wellness Center- 1666 Elmira St
 - Metro Community Provider Network (MCPN)

- Senior Behavioral Health Services Medical Center of Aurora
 - 700 Potomac Street
 Aurora, CO 80011
 (303) 360-3000
- https://auroramed.com/service/geriatric-behavioral-health
- Services offered include:
 - 24-hour nursing care
 - Medical support
 - Meals formulated by a dietitian
 - Assistance with daily living activities
 - Structured activities
 - Case management
 - Team approach to care



2206 Victor StreetAurora, CO 80045

1-844-493-8255

Senior Reach

- Arapahoe and Douglas Counties, Colorado 303-723-4289
 www.seniorreach-ad.org
- Adams County, Colorado 303-853-3657 www.communityreachcenter.org/services/adult-and-senior-services/senior-reach/L
- Short-term counseling
- Volunteer-based
- Connects seniors to community resources

- InnovAge
- http://myinnovage.org/
- Services offered include:
 - Adult Day programs
 - Home care
 - Memory care
 - PACE coordinated health care
 - Caregiver Support
 - Care management
 - Senior Housing

Government/ State Efforts



Pre-admission Screen and Resident Review Program (PASRR)

-Identifies and evaluates individuals prior to or during nursing placement to determine appropriateness of placement

Future Directions for Geriatric Behavioral Health

- Integrated care
 - *increase the presence of mental health professionals in primary care
- Development of more specialized graduate training in geropsychology and gerontological social work
- Standardize mental health screenings in primary and specialized care clinics and SNFs/ALFs
- Decrease isolation and inactivity through more engaging/creative community programs for seniors
- Medicare policy
- More funding for geriatric mental health disciplines

References

- American Psychological Association, Government Relations Office. *Growing Mental and Behavioral Health Concerns Facing Older Americans*. Retrieved from: http://www.apa.org/about/gr/issues/aging/growing-concerns.aspx
- Areán, P.A. & Ayalon, L. (2005).

 Assessment and treatment of depressed older adults in primary care. Clinical Psychology: Science and Practice, 12
 (3), 321-335
- Bartels, S.J., Blow, F.C., Brockmann, L.M., & Van Citters, A.D. (2005). Substance abuse and mental health care among older Americans: The state of the knowledge and future directions. Rockville, MD: WESTAT.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2006) Web-based Injury Statistics Query and Reporting System (WISQARS) Retrieved from: http://www.cdc.gov/ncipc/wisqars.
- Geriatric Mental Health Foundation (2008). Depression in late life: not a natural part of aging. Available at: http://www.gmhfonline.org/gmhf/consumer/factsheets/depression_latelife.html (accessed June 23, 2008).
- Karel, M. J., Gatz, M. & Smyer, M. A. (2012). Aging and mental health in the decade ahead: What psychologists need to know. *American Psychologist*, 67, 184-198.
- Lin et al. (2013). Screening for cognitive impairment in older adults: An evidence update for the U.S. preventive services task force. *Evidence Syntheses, No. 107.*
- NASMHPD (2006), NASMHPD (2006), NASMHPD Medical Directors NASMHPD Medical Directors Council Technical Report: Morbidity and Mortality in Council Technical Report: Morbidity and Mortality in People with Serious Mental Illness People with Serious Mental Illness (Editors: Parks, J.; (Editors: Parks, J.; Svendsen Svendsen, D.; Singer, P.; D.; Singer, P.; Foti Foti, M.) Alexandria, VA: , M.) Alexandria, VA: NASMHPD, October 2006
- U.S. Census Bureau. (2012). The Research Supplemental Poverty Measure: 2011. Retrieved from: http://www.census.gov/newsroom/releases/archives/poverty/cb12-215.html